Compaq Rack Options and Accessories

Compaq offers a wide variety of rack options and accessories that help you to complete your 9000 and 10000 series racks.

Monitors and Keyboards

TFT5600RKM

United States	**221546-001**	**Norway**	**221546-091**
United Kingdom	**221546-031**	**Sweden/Finland**	**221546-101**
Germany	**221546-041**	**Switzerland**	**221546-111**
France	**221546-051**	**Portugal**	**221546-131**
Italy	**221546-061**	**Belgium**	**221546-181**
Spain	**221546-071**	**Japan**	**221546-291**
Denmark	**221546-081**	**International**	**221546-B31**

An innovative integrated design consisting of a flat panel monitor and keyboard in one. This clamshell design requires only 1U and allows enough room to mount a switchbox behind it to maximize the space within the rack. The monitor is a full 15” display and the keyboard has programmable hot keys in addition to a trackball mouse.

TFT 5010R Rack Mount Flat Panel Monitor

North America 217248-001
International 217248-B31
Japan 217248-291

The TFT5010R is the third generation 2U, retractable 15” flat panel monitor utilizing thin film transistor (TFT) technology. This product replaced the TFT5000R.

Keyboard with Hot Keys and Trackball

United States	**158649-001**	**Norway**	**158649-009**
United Kingdom	**158649-003**	**Sweden/Finland**	**158649-010**
Germany	**158649-004**	**Switzerland**	**158649-011**
France	**158649-005**	**Portugal**	**158649-013**
Italy	**158649-006**	**Belgium**	**158649-018**
Spain	**158649-007**	**Japan**	**158649-291**
Denmark	**158649-008**	**International**	**158649-B36**

This keyboard offers a centrally located trackball and nine programmable hot keys which allows users to program up to seven keystrokes per key for rapid movement between rack-mounted devices. The keyboard utilizes the 1U keyboard drawer. This keyboard replaced keyboard 185152-XXX.

Shipping Dimensions: 2.00x20.88x10.75 in

1U Keyboard Drawer

Worldwide 338056-B21

The 1U Keyboard Drawer neatly holds, protects, and conceals a keyboard. The 1U keyboard drawer requires only half the depth of other keyboard drawers and provides mounting options for Compaq Server Console Switches. Keyboard not included.

Shipping Dimensions: 1.75 x 29.13 x 17.75 in/ 739.9 x 450.9 x 44.5 mm

A “U” is the measuring unit for racks and rack-mountable components. 1U = 1.75” or 44.45 mm.

For more information on how to purchase these Compaq Racks, Options, and Accessories contact a Compaq Representative at 1-800-AT-COMPAQ.

Rack Compatibility

Product Description	Compatible Racks	Colors	Part Number
TFT5600 RKM	All	Carbon	221546-XXX
TFT5010R	All	Opal	217248-XXX
1U Keyboard with Hot keys and Trackball	All	Opal	158649-XXX
1U Keyboard Drawer	All	Opal	338056-B21

A “U” is the measuring unit for racks and rack-mountable components. 1U = 1.75” or 44.45 mm.

For more information on how to purchase these Compaq Racks, Options, and Accessories contact a Compaq Representative at 1-800-AT-COMPAQ.

Security/Monitoring Devices

Console Management Controller (CMC)

CMC Base Kit Worldwide	**203039-B21**
CMC Sensors Option Kit Worldwide	**203039-B22**
CMC Locking Option Kit	**203039-B23**
CMC Smoke Sensors Option Kit	**203039-B24**

The Console Management Controller (CMC) is an environmental monitoring hardware designed to mount in a standard 19 inch rack cabinet in a 1U form factor. This product allows for the remote and on-site monitoring and controlling of rack environments such as temperature, intrusion, shock and humidity (some kits may be required). In addition the software which ship standard with the unit allows for the setting of thresholds and can take action once an event occurs.

The CMC Sensors Option Kit contains a temperature sensor, two intrusion sensors, a humidity sensor and shock sensors to be used with the CMC base kit. The CMC Smoke Sensors Option Kit can be used with the CMC base kit for monitoring the rack environment for smoke.

Temperature

Intrusion

Humidity

Shock

Smoke Sensor

CMC Base Kit Shipping Dimensions: 3.5x20.5x8.63 in
CMC Sensors Option Kit Shipping Dimensions: 3x21x10 in
CMC Locking Option Kit Shipping Dimensions: 3.5x20.5x8.63 in
CMC Smoke Sensors Option Kit Shipping Dimensions: 7.25x26.5x11.25 in

Rack Compatibility

Product Description	Compatible Racks	Color	Part Number
Console Management Controller (CMC)	All	Opal	203039-B21
CMC Sensors Option Kit	All	Opal	203039-B22
CMC Locking Option Kit	9000/10000 Series	NA	203039-B23
CMC Smoke Sensor Option Kit	All	Opal	203039-B24

A “U” is the measuring unit for racks and rack-mountable components. 1U = 1.75” or 44.45 mm.

For more information on how to purchase these Compaq Racks, Options, and Accessories contact a Compaq Representative at 1-800-AT-COMPAQ.

Server Console Switches and Cables

Server Console Switch, 1X2-Port KVM

North America 120206-001
International 120206-B31
Japan 120206-291

This single-user Compaq Server Console Switch has one input (or user) port for one user console (one keyboard, monitor, and mouse) and two output (or system) ports for connecting multiple systems to the switch. Consolidates rack space by mounting in the side rail of the rack or behind the 1U keyboard drawer.

Server Console Switch, 1X4-Port KVM

Worldwide 400336-001
International 400336-B31
Japan 400336-291

This single-user Compaq Server Console Switch has one input (or user) port for one user console (one keyboard, monitor, and mouse) and four output (or system) ports for connecting multiple systems to the switch. Single user switches can also be tiered (one switch connected to another) to expand the amount of systems controlled by one user. For example, five 4-ports switches can be tiered together to control 16 systems. Consolidates rack space by mounting in the side rail of the rack or behind the 1U keyboard drawer.

Server Console Switch, 1X8-Port KVM

Worldwide 400337-001
International 400337-B31
Japan 400337-291



This single-user Compaq Server Console Switch has one input (or user) port for one user console (one keyboard, monitor, and mouse) and eight output (or system) ports for connecting multiple systems to the switch. Single user switches can also be tiered (one switch connected to another) to expand the amount of systems controlled by one user. For example, nine 8-ports switches can be tiered together to control 64 systems. Consolidates rack space by mounting in the side rail of the rack or behind the 1U keyboard drawer.

Server Console Switch, 2X8-Port KVM

Worldwide 400338-001
International 400338-B31
Japan 400338-291

This multi-user Compaq Server Console Switch has two input (or user) ports for multiple user consoles (one keyboard, monitor, and mouse) and multiple output (or system) ports for connecting multiple systems to the switch. Multi-user switches can also be tiered (one switch connected to another) to expand the amount of systems controlled by one user. Additionally, multi-user switches offer simultaneous control of servers in both the data center and in other remote locations. Consolidates rack space by mounting in the side rail of the rack or behind the 1U keyboard drawer.

A "U" is the measuring unit for racks and rack-mountable components. 1U = 1.75" or 44.45 mm.

For more information on how to purchase these Compaq Racks, Options, and Accessories contact a Compaq Representative at 1-800-AT-COMPAQ.

Server Console Switch, 2X8-Port KVM 48V DC

International 400542-B21

This 48 volt DC multi-user Compaq Server Console Switch has two input (or user) ports for multiple user consoles (one keyboard, monitor, and mouse) and multiple output (or system) ports for connecting multiple systems to the switch. Multi-user switches can also be tiered (one switch connected to another) to expand the amount of systems controlled by one user. Additionally, multi-user switches offer simultaneous control of servers in both the data center and in other remote locations. Consolidates rack space by mounting in the side rail of the rack or behind the 1U keyboard drawer.

Switch Box Connector Kit

115 Volt 144007-001
230 Volt 144007-002
100-240 Volt 144007-B33

Switch box Connector Kit provides frontal access to a 2/4/8-Port Server Console Switch Box for a keyboard, monitor, and mouse.

CPU-to-Sever Console Cables, 3 Feet

Worldwide 110936-B24

CPU-to-Sever Console Cables, 7 Feet

Worldwide 110936-B25

CPU-to-Server Console Cables, 12 Feet

Worldwide 110936-B21

CPU-to-Server Console Cables, 20 Feet

Worldwide 110936-B22

CPU-to-Server Console Cables, 40 Feet

Worldwide 110936-B23

CPU-to-Server Console Cables, 20 Feet (Plenum Rated)

Worldwide 149363-B21

CPU-to-Server Console Cables, 40 Feet (Plenum Rated)

Worldwide 149364-B21

The CPU-to-Server Console Cables provide flexibility in connecting servers to server console switch boxes by providing twelve, twenty, and forty feet of cable. The CPU-to-Server Console Cables have PC 99 colored locking connectors. The CPU-to-Server Console Cables are also available as Plenum Rated in twenty and forty-foot lengths.

Keyboard, Monitor, and Mouse Extension Cables

Worldwide 169989-001

Provide even greater flexibility in the location of a keyboard, monitor, and mouse through 8-foot cable extensions. One keyboard extension cable, one monitor extension cable, and one mouse extension cable per kit.

PCI Card KVM Switch

PCI KVM Management Card Kit 232983-B21
PCI KVM Remote Card Kit 232984-B21
Local Access Cable Kit 232985-B21

The PCI card KVM solution is a "box-free" KVM switch that dramatically reduces the cable clutter within the rack. The system can support up to 64 servers as far away as 360 feet from the management card. Keyboard, video and mouse connected as a "local loop" with the server and then the cards are connected by CAT 5 cable that is field terminable to any desired length. As more servers are required in the data center they can be easily added anywhere within the line. In addition, this new card based system can be used with the current switchboxes.

A “U” is the measuring unit for racks and rack-mountable components. 1U = 1.75” or 44.45 mm.

For more information on how to purchase these Compaq Racks, Options, and Accessories contact a Compaq Representative at 1-800-AT-COMPAQ.

Management Card


Install in PCI Slot in designated server where KVM connects via "Y" cables – power only from slot
Connection for RS232 flash upgrade
Single CAT5 output to 1st remote
Single connection for Video
Single connection for Keyboard & Mouse

Remote Card


Install in PCI Slot of servers – power only from slot – no IRQ's or DMA's
In CAT5 connection from the Manager or previous remote
Out CAT5 to next remote
Video connection to CPU
Mouse & Keyboard connection to CPU

Rack Compatibility

Product Description	Compatible Racks	Color	Part Number
PCI Card KVM Switch (Management Card)	All	NA	232983-B21
PCI Card KVM Switch (Remote Card)	All	NA	232984-B21
Local Access Cable Kit (PCI Card KVM)	All	NA	232985-B21
Switchbox Connector Kit (115V)	All	Opal	144007-001
Switchbox Connector Kit (230V)	All	Opal	144007-002
Switchbox Connector Kit (100-240V)	All	Opal	144007-B33
KVM 9 Pin Adapter Kit (4 Pack)	All		149361-B21
1 x 2 Switchbox	All	Opal	120206-XXX

A "U" is the measuring unit for racks and rack-mountable components. 1U = 1.75" or 44.45 mm.

For more information on how to purchase these Compaq Racks, Options, and Accessories contact a Compaq Representative at 1-800-AT-COMPAQ.

1 x 4 Switchbox	All	Opal	400336-XXX
1 x 8 Switchbox	All	Opal	400337-XXX
2 x 8 Switchbox	All	Opal	400338-XXX
2 x 8 Switchbox (48 volt)	All	Opal	400542-B21
KVM Extension Cables	All	NA	169989-001
3’ CPU to Switch Cable	All	NA	110936-B24
7’ CPU to Switch Cable	All	NA	110936-B25
12’ CPU to Switch Cable	All	NA	110936-B21
20’ CPU to Switch Cable	All	NA	110936-B22
40’ CPU to Switch Cable	All	NA	110936-B23
20’ CPU to Plenum Cable	All	NA	149363-B21
40’ CPU to Plenum Cable	All	NA	149364-B21

A “U” is the measuring unit for racks and rack-mountable components. 1U = 1.75” or 44.45 mm.

For more information on how to purchase these Compaq Racks, Options, and Accessories contact a Compaq Representative at 1-800-AT-COMPAQ.

Shelving, Mounting and Grounding Kits

Baying/Coupling Kit

9000 Series – Opal **120669-B21- pictured**
10000 Series – Carbon **248929-B21**
The baying kit is used to join two or more racks together in minutes to crate a multi-bay configuration. The baying kit supports 24" and 600mm floor tile spacing. Sides of adjacent rack frames are joined together and optional side panels are then placed on the two ends of the multi-bay configuration.

Shipping Dimensions: 2.25x9.5x7.5 in

9000/10000 Offset Baying Kit

42U - Carbon **248931-B21**
This baying kit is used to connect 9000 and 10000 series racks of the same U heights together. The kit includes the baying kit hardware in addition to a 100mm deep, graphite metallic panel to cover up the gap on the side of the 10000 series rack.

Shipping Dimensions: 6x77x4 in

Rack Rail Adapter Kit (25")

Worldwide **120675-B21**
Adapters for mounting equipment at the 25" depth level within the rack cabinet. Traditional equipment depth is 29" for ProLiant and 25" for AlphaServers.

Shipping Dimensions: 2.25x9.5x7.5 in

Sliding Shelf Kit

Worldwide **332564-B21***
The Sliding Shelf Kit is a sliding ventilated shelf that allows for rack-mountable products to be mounted at any height within Compaq Racks. This Sliding Shelf Kit mounts on slides that allow you to pull the shelf in and out of the rack for easy access, maintenance and upgrading. The Sliding Shelf is 17.32" (439.9 mm) wide and 19.69" (500.1 mm) deep with a load capacity of 110 lbs (49.9 kg). One cable management arm per kit.

*NOTE: the 100kg sliding shelf 234672-B21 will replace this kit.

Shipping Dimensions: 7.874x30.315x22.047 in

100kg Sliding Shelf

Worldwide **234672-B21**
This shelf provides a sliding shelf that will hold up to 100kg/220lbs. Will replace current sliding shelf (332564-B21).

Shipping Dimensions: 4.88x32.13x19.63 in

A "U" is the measuring unit for racks and rack-mountable components. 1U = 1.75" or 44.45 mm.

For more information on how to purchase these Compaq Racks, Options, and Accessories contact a Compaq Representative at 1-800-AT-COMPAQ.

Depth Adjustable Fixed Rail Kit

Worldwide 332558-B21

The Depth Adjustable Fixed Rail Kit contains two, 19" to 31", depth adjustable rails that mount Compaq rack-mountable servers, storage boxes, UPSs, and Compaq networking products in third party racks. The Depth Adjustable Fixed Rail Kit also allows for most third party rack-mountable products to be mounted in Compaq Racks. The Depth Adjustable Fixed Rails have a load capacity of 300 lbs (136.2 kg).

Shipping Dimensions: 3.346x24.803x9.843 in

Compaq Networking Recessed Rail Management Kit

Worldwide 292406-B21
Japan 292406-291

The Compaq Networking Recessed Rail Management Kit provides mounting options that let you recess equipment to allow adequate room for cables that protrude from connection ports within a rack. Four 4U mounting angles, four 7U mounting angles, two 15U mounting angles, and two 28U mounting angles included in a kit.

Shipping Dimensions: 2.0x52.38x6.5 in

Monitor/Utility Shelf Kit

Opal 303606-B21- pictured**
Graphite 253449-B21

The 1U Monitor/Utility Shelf is a fixed shelf that can be mounted at any height within Compaq Racks to place a monitor or another component. Bezels for a 14", 15" and 17" monitor are included. The Monitor/Utility Shelf is 19" (482.6 mm) wide and 29.13" (739.9 mm) deep with a load capacity of 150 lbs (68.1 kg).

**NOTE: part number 253449-B21 will replace this kit.

Shipping Dimensions: 3.5x31.5x23.13 in

9000 Series Side Panels

42U – Opal 120670-B21 - pictured

Side panels for the Rack 9142 and 9842. Two side panels are included in a kit.

Shipping Dimensions: 4.13x82.38x37.5 in

36U – Opal 120671-B21

Side panels for the Rack 9136. Two side panels are included in a kit.
NOTE: The 9122 rack ships with side panels installed.

Shipping Dimensions: 4.13x72.38x37.5 in

10000 Series Side Panels

47U – Graphite Metallic 255486-B21
Shipping Dimensions: 4.8x89.29x39.10 in
42U – Graphite Metallic 246099-B21
Shipping Dimensions: 4.8x80.02x38.12 in
36U – Graphite Metallic 246102-B21
Shipping Dimensions: 5.1x70.86x39.5 in

Locking side panels for the 47U, 42U and 36U models of the 10000 series racks. Two side panels included in kit and no tools are required to install.
NOTE: The 10622 rack ships with side panels installed.

A "U" is the measuring unit for racks and rack-mountable components. 1U = 1.75" or 44.45 mm.

For more information on how to purchase these Compaq Racks, Options, and Accessories contact a Compaq Representative at 1-800-AT-COMPAQ.

Grounding Rack Option Kit

9000 Series Only 120682-B21***
Shipping Dimensions: 2.25x9.5x7.5 in
9000/10000 Series 260457-B21
Shipping Dimensions: 2.25x9.5x7.5 in
This product essentially reduces the electromagnetic emissions that may be given off by electronic components operating within the rack cabinet. The grounding kit ties all the conductive structural components the Rack together with conductive cables and is designed be attached to a ground bonding point on the cables and is designed to be attached to a ground bonding point on the Rack's AC Power Distribution Device. This option will be used predominately by the Compaq Custom Systems Organization to configure Compaq Racks with the Alpha Server products.

***NOTE: this kit will be replaced by part number 260457-B21.

Third Party Rail Kit

Worldwide 226555-B21
This kit can be used to efficiently mount the Sun Ultra 2, Ultra 5 or Ultra 10 servers within the Rack 9000 or 10000.
Shipping Dimensions: 8.63x24.25x21 in

Rack Compatibility

Product Description	Compatible Racks	Color	Part Number
Baying Kit (9000 Series)	9000 Series	Opal	120669-B21
Baying Kit (10000 Series)	10000 Series	Carbon	248929-B21
9000/10000 Offset Baying Kit	9000/10000 Series	Carbon	248931-B21
25" Rack Rail Adapter Kit	All	NA	120675-B21
Sliding Shelf Kit*	All	Opal	332564-B21
100kg Sliding Shelf	All	Graphite	261754-B21
Depth Adjustable Fixed Rail Kit	All	NA	332558-B21
Networking Recessed Rail Management Kit	All		292406-B21
Networking Recessed Rail Management Kit	All		292406-291
Monitor/Utility Shelf Kit**	All	Opal	303606-B21
Monitor/Utility Shelf Kit	All	Graphite	253449-B21
Side Wall Panel Kit (42U) 9000 series	9000 Series	Opal	120670-B21
Side Wall Panel Kit (36U) 9000 series	9000 Series	Opal	120671-B21
Side Wall Panel Kit (47U) 10000 series	10000 Series	Graphite Metallic	255486-B21
Side Wall Panel Kit (42U) 10000 series	10000 Series	Graphite Metallic	246099-B21
Side Wall Panel Kit (36U) 10000 series	10000 Series	Graphite Metallic	246102-B21
Ground Bonding Kit (9000 Series)***	9000 Series	NA	120682-B21
Ground Bonding Kit (9000/10000 Series)	9000/10000 Series	NA	260457-B21
3rd Party Rail Kit	9000/10000 Series	NA	226555-B21
100kg Sliding Shelf	All	Graphite	234672-B21

***** NOTE: this kit will be replaced by 261754-B21.
****** NOTE: this kit will be replaced by part number 253449-B21.
***NOTE: this kit will be replaced by part number 260457-B21.

A "U" is the measuring unit for racks and rack-mountable components. 1U = 1.75" or 44.45 mm.

For more information on how to purchase these Compaq Racks, Options, and Accessories contact a Compaq Representative at 1-800-AT-COMPAQ.

Stabilization

Ballast Option Kit

Worldwide 120672-B21

The Ballast Kit is designed to provide additional stability and support when used with the Stabilizer Kit. It is typically used when very heavy equipment is routinely installed, removed or accessed within the rack.

Shipping Dimensions: 12x40.x24 in

Stabilizer Option Kit

600mmwide, 9000 Series 120673-B21 - pictured
Shipping Dimensions: 5x24x25 in
800mmwide, 9000 Series 234493-B21
Shipping Dimensions: 4.25x31.56x23.56 in
600mmwide, 10000 Series 246107-B21
Shipping Dimensions: 5x26.25x21.58 in
800mmwide, 10000 Series 255488-B21
Shipping Dimensions: 5x34.5 x 21.75 in

An anti-tip stabilizer provides stability and support when equipment is installed, removed or accessed within the rack. It is recommend you use a stabilizer option kit with a stand-alone rack.

Rack Compatibility

Product Description	Compatible Racks	Color	Part Number
Ballast Kit	All	NA	120672-B21
Stabilizer Option Kit (600 mm) 9000 series	9000 Series	Opal	120673-B21
Stabilizer Option Kit (800mm) 9000 series	9000 Series	Opal	234493-B21
Stabilizer Option Kit (600mm) 10000 series	10000 Series	Graphite	246107-B21
Stabilizer Option Kit (800mm) 10000 series	10000 Series	Graphite	255488-B21

A “U” is the measuring unit for racks and rack-mountable components. 1U = 1.75” or 44.45 mm.

For more information on how to purchase these Compaq Racks, Options, and Accessories contact a Compaq Representative at 1-800-AT-COMPAQ.

Thermal Management

Roof Mounted Fan Kit

Opal 110V Fan Kit **120677-B21- pictured**
Opal 220V Fan Kit **120678-B21**
Graphite 110V Fan Kit **257413-B21**
Graphite 220V Fan Kit **257414-B21**

Roof-mounted extractor fan kit enhances natural convection cooling by increasing the airflow in the rack.
NOTE: the opal fans will be replaced with the graphite fans.

Shipping Dimensions: 5 x 27 x 21 in

Blanking Panel Kit



Multi – opal **169940-B21**
Shipping Dimensions: 2.953x20.276x18.898 in
10 each 1U - opal **189453-B21**
Shipping Dimensions: 2.25x21.63x7.88 in
10 each 2U – opal **189453-B22**
Shipping Dimensions: 2.25x21.63x7.88 in
10 each 3U - opal **189453-B23**
Shipping Dimensions: 2.25x21.63x7.88 in
10 each 4U - opal **189453-B24**
Shipping Dimensions: 2.25x21.63x7.88 in
10 each 5U - opal **189453-B25**
Shipping Dimensions: 2.25x21.63x7.88 in
Multi - graphite **253214-B26**
Shipping Dimensions: 3.08x20.40x18.45 in
10 each 1U - graphite **253214-B21**
Shipping Dimensions: 2.25x21.63x7.88 in
10 each 2U - graphite **253214-B22**
Shipping Dimensions: 2.25x21.63x7.88 in
10 each 3U - graphite **253214-B23**
Shipping Dimensions: 2.25x21.63x7.88 in
10 each 4U - graphite **253214-B24**
Shipping Dimensions: 2.25x21.63x11.38 in
10 each 5U - graphite **253214-B25**
Shipping Dimensions: 2.25x21.63x11.38 in
Blanking Panels are sheet metal plates used to cover any unused area within the rack. They help facilitate proper airflow to the rack components.

Rack Compatibility

Product Description	Compatible Racks	Colors	Part Number
Roof Mounted Fan Kit (110V)	9000/10000 Series	Opal	120677-B21
Roof Mounted Fan Kit (220V)	9000/10000 Series	Opal	120678-B21
Roof Mounted Fan Kit (110V)	9000/10000 Series	Graphite	257413-B21
Roof Mounted Fan Kit (220V)	9000/10000 Series	Graphite	257414-B21
Blanking Panel Kit (1 each of 8U, 4U, 2U, 1U)	9000 Series	Opal	169940-B21
Blanking Panel Kit (10 each of 1U)	9000 Series	Opal	189453-B21
Blanking Panel Kit (10 each of 2U)	9000 Series	Opal	189453-B22
Blanking Panel Kit (10 each of 3U)	9000 Series	Opal	189453-B23

A “U” is the measuring unit for racks and rack-mountable components. 1U = 1.75” or 44.45 mm.

For more information on how to purchase these Compaq Racks, Options, and Accessories contact a Compaq Representative at 1-800-AT-COMPAQ.

Blanking Panel Kit (10 each of 4U)	9000 Series	Opal	189453-B24
Blanking Panel Kit (10 each of 5U)	9000 Series	Opal	189453-B25
Blanking Panel Kit (1 each of 8U, 4U, 2U, 1U)	10000 Series	Graphite	253214-B26
Blanking Panel Kit (10 each of 1U)	10000 Series	Graphite	253214-B21
Blanking Panel Kit (10 each of 2U)	10000 Series	Graphite	253214-B22
Blanking Panel Kit (10 each of 3U)	10000 Series	Graphite	253214-B23
Blanking Panel Kit (10 each of 4U)	10000 Series	Graphite	253214-B24
Blanking Panel Kit (10 each of 5U)	10000 Series	Graphite	253214-B25

A “U” is the measuring unit for racks and rack-mountable components. 1U = 1.75” or 44.45 mm.

For more information on how to purchase these Compaq Racks, Options, and Accessories contact a Compaq Representative at 1-800-AT-COMPAQ.

Cable Management

Compaq Networking Cable Management Kit

Worldwide **292407-B21**
Japan **292407-291**
Compaq Networking Cable Management Kit provides an easy way to organize and route cables within a rack. Ten cable clips, ten cable rings, one 1U access panel, and one 2U access panels included a kit.

Shipping Dimensions: 4.134x20.472x11.024 in

Cable Management "D" Rings

Worldwide **168233-B21**
This kit contains10 D rings that mount in the back rails of the rack and allow for cables to be routed an organized within the rack.

Shipping Dimensions: 3.75x9.5x7.75 in

9000 Series Short Rear Doors

9142 **218217-B21** - pictured**
Shipping Dimensions: 5x82x26.75 in
9136 **218218-B21**
Shipping Dimensions: 5x72x26.75 in
The short rear door for the 9142 or 9136 racks allows 7 inches of room at the rear of the rack for cables while maintaining the security of the rack with a locking door. Each kit comes with one door.

**NOTE: Kit not compatible with the 9842 rack.

9000 Series Extension Kit

9142 **120679-B21 - pictured**
Shipping Dimensions: 6x81.63x28.13 in
9136 **218216-B21**
Shipping Dimensions: 6x81.63x28.13 in
The extension kit for the 9142 or 9136 rack is a steel collar that attaches to the rear of the rack and provides an additional 100mm (3.94") of space for cable management or equipment. Each kit comes with one collar.

9000 Series Split Rear Door

9142 **254045-B21**
This option is offered for the 600mm wide, 42U 9000 series rack to allow for full access to rack mounted equipment without blocking data center aisles and to support the ISSG server group request.

Shipping Dimensions: 6x81.63x28.13

Rack Compatibility

Product Description	Compatible Racks		Part Number
Networking Cable Management Kit	All		292407-B21
Cable Management D-ring Kit	All	NA	168233-B21
Short Rear Door 9142	9000 Series	Opal	218217-B21

A "U" is the measuring unit for racks and rack-mountable components. 1U = 1.75" or 44.45 mm.

For more information on how to purchase these Compaq Racks, Options, and Accessories contact a Compaq Representative at 1-800-AT-COMPAQ.

Short Rear Door 9136	9000 Series	Opal	218218-B21
Extension Kits 9142	9000 Series	Opal	120679-B21
Extension Kits 9136	9000 Series	Opal	218216-B21
9142 Split Rear Doors	9000 Series	Opal	254045-B21

A “U” is the measuring unit for racks and rack-mountable components. 1U = 1.75” or 44.45 mm.

For more information on how to purchase these Compaq Racks, Options, and Accessories contact a Compaq Representative at 1-800-AT-COMPAQ.